

COLOURS

by



Pioneers of the Paint Industry




TIP:

1.	2.	3.
----	----	----

1. Main colour

2. Secondary colour

3. Accent colour



Obscure Green


AP113-1

Gray Downing

AP48-2

Braintree Road

AP48-3



Beeswax

AP14-6

Transition Green

AP63-1


Mystic Blue

AP118-1

LULLABY



Subtle combinations of gentle pastel colours that are both soothing and intriguing.



Demure

AP17-5

Cherry Ashes

AP141-2

Pebblegrey

AP48-6



Toe Shoes


AP37-1

White Castle

AP53-1

Near Night

AP119-2



Reserved White


AP14-1

Wafting Wave

AP11-6

Alpine Echo

AP20-5



Snowbush Rose

AP8-1

Cave Creek

AP115-5

White Lilac

AP9-2



See in
photo

POP

A blend of popular contrasts. Neutrals and high contrast feature wall combinations.



Ash White


AP14-2

Saddle Brown

AP169-5

Pueblo Blue

AP120-4



Amber Light

AP103-1

Intimate White

AP5-1

Dense Shrub

AP165-1



Hush White

AP5-2

Flint Black

AP171-5

Terracotta

AP143-4



Blue Comfort

AP81-3

White Lace


AP4-3

Carriage Red

AP156-4



See in
photo



Platinum


AP54-3

Trojan Gray

AP50-4

Rockies Red

AP155-4



Sleepy Pink

AP6-2

Toadstool


AP30-6

Robust Vine

AP164-6

CLASSICAL

Understated yet bold, these combinations are classical and timeless.



Natural Almond


AP26-2

Venetian Tan

AP28-5

Gloucester Brown

AP168-5



Cloud Wisp

AP130-1

Sandlight

AP2-2

Miner Gray

AP128-3



Field Stone

AP55-5

Peaceful White

AP14-3

Robust Red

AP155-5



Smokey Wings

AP51-5

Birch Patina

AP56-2

Espresso

AP168-6



Quaker Gray

AP128-6

Ivory Too

AP57-1

Stoker Gray

AP51-4



Verona Gold

AP154-2

Celery Seed

AP110-5

Almond Chip

AP26-1




See in
photo



NEO SOUL

*A lively yet subtle palette with a level of
Chique and fashion forward tones.*



Walden White


AP14-4

Field Oak

AP169-1

Terra Earth

AP143-3



Graystone


AP55-3

Firebush

AP146-4

Harrison Gray

AP46-5



October Bronze


AP154-6

White Wing

AP8-4

Tapestry Blue

AP132-4



Zinnia Scarlet


AP94-4

Green Shoot

AP110-4

Gray Mystic

AP52-6



Snow White



AP3-2

Blue Nocturne

AP130-4

Field Daisy

AP101-4



Cream Sateen


AP60-1

Orange Sovereign

AP155-2

Evergold

AP60-4



See in
photo



JAZZ



Adventurous yet highly liveable colours that can surprise and delight yet remain subtle and welcoming.



Cotillion Red


AP156-2

Comfy Tan

AP152-3

Golden Grain

AP152-4



Koralle

AP97-4

Warm Silver

AP55-1

Stone Fence

AP128-4



Creek Bed

AP115-6

Blue Trace

AP10-1

English Rose

AP157-2



Plum Pink

AP136-6

Powdery

AP19-4

Prairie Peach

AP147-2



Ultra Blue

AP160-3

Desert Fire

AP103-5

Gray Dew

AP9-3



See in
photo



Prophetic Purple

AP88-4

Pale Pansy

AP88-1

Glowing Ember

AP155-3



Morning Glory



Post Office Red



Bright Roof Green



Metal Primer Red Oxide



Signal Red



Duck Egg Green



Golden Yellow




Light Roof Green



Canary Yellow




Floor Green




New Wheat




Regatta




Bright Roof Red



Bush Truck Green




Floor Red



Golden Brown




Delta Green




Roof Grey




Machinery Yellow




Floor Nantucket




Spanish Brown




Roof Red



Roof Brown



Fire Red




Autumn Flame

We offer colour matching services!

Our state-of- the-art colour matching system accurately matches any colour sample to your satisfaction.

Your choices are unlimited!



Check out these colours and more in our colour visualizer tool!

Upload your own photo and instantly view endless paint options in the room.

torginolpaints.com/visualizer

Note: Colours displayed on this card are to be used as a guide. Actual paint colour may vary depending on the paint sheen, surface texture, lighting and other factors.

TORGATEX

Textured Finish Coating

Torgatex is a low VOC, high build textured architectural coating suitable for use on concrete, stucco, ply board, plaster board and most standard construction materials. Available in Fine, Medium and Coarse Grades.

Available Size:

65 Lbs

Coverage:

Coarse - 90-100 Sq.Ft /65 Lbs

Medium - 140-160 Sq.Ft /65 Lbs

Fine - 200-225 Sq.Ft /65 Lbs



TORGA BRUSH-ON BRUSHING SOLUTION

Water Based, Flat, Low Viscosity, Antifungal decorative coating, applied over Torgatex to change the colour, without compromising the existing texture.



Note:

Actual Torgatex colour may differ from the paint colour due to factors such as product texture, gloss level, method of application, etc.

TORGA SHIELD

Water Based, Semi-gloss, Antifungal protective coating, commonly applied over Torgatex to prevent dust accumulation and to extend the life of the coating.



PRODUCT INFO.

Arbo Gloss



- Alkyd-based paint • Interior/Exterior durable • Fungus resistant • Hard, high gloss, durable finish

For general purpose painting on wooden substrates such as wood, plyboard and chipboards.

Torga Semi-Gloss Emulsion



- Water-based semi-gloss paint • Interior/Exterior durable • Fungus resistant • Resistant to weather, stain, and dirt

For application on cured masonry, sealed gypsum board, suitably primed lumber and plywood.

Torga High-Gloss Emulsion



- Water-based high-gloss paint • Interior/Exterior durable • Fungus resistant • Low VOC • Delivers flow & levelling characteristics of Alkyd Paint • Excellent washability when fully cured

For application on cured concrete, plaster, gypsum, brickwork, wood, masonry, work, etc. Ideal for hospitals, offices, restaurants, homes, playschools, etc.

Torga Floor Paint



- Water-based floor paint • Interior/Exterior durable • Fungus resistant • Excellent film build and opacity • Excellent washability when fully cured

For use on cured concrete, wooden floors, stairways, driveways and garage. Formulated to withstand low traffic areas.

Torgaplast



- All-purpose joint compound • Used to embed drywall tape, fill and finish gypsum panel joints • Superior working qualities • Excellent adhesion • Good crack resistance

Ideal for patching and repairing small holes and cracks in the drywall surfaces.

Epoxy Top Coat Enamel



- Two-pack industrial coating specially formulated for use under some of the most stringent industrial conditions on metal, wood, cured concrete • Very hard, high-gloss finish • Resists most industrial and atmospheric acids and alkali

Best for bulk storage tanks, silos, super structure, ridges, floors, driveways, etc.

UPC (Unique Protective Coating)



- True moisture-cured UPC • Dries to a very high-gloss, glass-like clear coating • Exceptionally high strength and hardness • Resistant to abrasion

Ideal coating for protecting wooden floors, walls, countertops, tables, cabinet and other wooden furniture.

Water Based Epoxy Top Coat Enamel



- Two-pack low VOC industrial coating • Low odour and non-toxic • Excellent blush and early water resistant

Suitable for use on concrete and masonry floors.

Arbo Lac Clear Varnish



- Polyurethane based clear coating • Enhances natural beauty of lumber • Hard scratch resistant finish • Best for wooden floors, walls, countertops, ceilings, furniture

Available in gloss, satin, and matt finish

NC Polishing Lacquer



- Nitro-cellulose based clear coating • Rapid-drying • Very hard and durable finish • Best suited for the furniture industry where spraying and quick drying is preferred

Available in gloss, satin, and matt finish

Poly Wood Stain



- Polyurethane based wood coating • Excellent staining characteristics • Very good transparency • Best for wooden floors, walls, countertops, ceilings, furniture

Available colours: Rosewood, Mahogany

NC Wood Stain



- Nitro-cellulose based wood stain • Rapid drying • Very good transparency • Best suited for the furniture industry where spraying and quick drying is preferred

Available colours: Rosewood, Mahogany, Dark Oak

Arbo Antirust



- Anti-corrosive priming and finishing paint • Interior/Exterior durable • Fungus resistant • Hard, impermeable finish

For use on ferrous and non-ferrous metal substrates, such as steel frame structures, roofs, bridges, pipelines, storage tanks, etc.

Arbo Silverbrite



- General purpose aluminium paint • Interior/Exterior durable • Metallic finish with superb brilliance • Excellent resistance to peeling, flaking, and cracking

Excellent for substrates requiring a brilliant metallic finish, such as bulk storage tanks, bridges, steel structures, rails, fences, etc. Good for wood and concrete.

Rubberised Floor Paint



- Rubberised decorative floor coating • Quick-drying • Semi-gloss finish • Resistance to mild acids and water • Hard wearing and washable

For use on cured concrete, wooden floors, metal floors, stairways, driveways and garage. Formulated to withstand low to medium traffic areas.

Torga Matt Emulsion



- Water-based flat paint • Interior/Exterior durable • Fungus resistant • Fast-drying

For application on cured masonry, sealed gypsum board, suitably primed lumber and plywood.



PAINTING TIPS

- Do not guess what to do or what to use when you have to paint. Just call our technical support service. It's free!
- Always read and understand the product label. When in doubt seek proper technical advice.
- Safety of yourself & others (pets, prized possessions) is paramount. Do not neglect or take chances. Always follow safety directions on the paint can label.
- Good surface preparation is the foundation that contributes to successful painting results.
- Now! Do not be fooled by false appearance. A surface may appear bright but may still be chalky and dirty. This affects adhesion, produces discolouration, blisters, peeling, cracking, flaking, etc.
- Wash all substrates thoroughly by using Torginol Wash-All Washing Cleanser, mixed with water. After washing exterior surface, especially one that is coated with an emulsion paint that is chalky, allow it to dry then rub it with a piece of dark cloth to determine if there is loose chalk which will show up as a whitish deposit. If chalk is present repeat the washing and ensure that Torginol Wash-All Washing Cleanser is used as per direction. Do not use a penetrating liquid. It is not a foolproof method.
- Destroy fungus, mildew, algae by applying Torginol Fungi-Kill Fungicidal Solution which must be washed off to avoid a brownish discolouration.
- Remove all flaking and peeling old paint by scraping, sanding, etc. and sand rough edges smooth. Spot prime as necessary.
- Rub down roughness as is necessary, remove masonry spills such as mortar etc.
- Allow new concrete substrates to cure for at least ten weeks before applying filler or primer.
- Always seal the outside of old exposed and new surfaces before painting the inside. This shuts out moisture.
- Fill all cracks and holes on exterior masonry substrate using Torginol Plasti-Fil mixed 1:1 with Torga paint, allow to dry for one hour, then sand smooth before priming.
- Do not use Torgaplast or any dry-wall compound on exterior surface, because it is sensitive to water and will produce blisters, peeling, etc. Also not recommended for interior areas that are likely to be in contact with water.
- Always stir paint thoroughly before use and ensure there is no sediment at the bottom of the container.
- Prime raw lumber using Arbo Undercoat Wood Primer then fill cracks, holes, crevices etc. with Arbo putty.
- Always rub down a glossy surface with fine abrasive paper to promote adhesion.
- Do not apply oil-based paints to concrete substrate without proper technical advice.
- Do not apply paint or filler to damp or wet surface. This will affect adhesion, produce blister, peeling and flaking.
- Do not apply emulsion paint to glossy surface(s). This will result in peeling and flaking.
- Do not use kerosene, gasoline, or thinners from other manufacturers on Torginol paints, read product labels for instructions.
- Do not recoat too early as the previous coat of paint may not be properly dried. This can blister the previous coat of paint, produce wrinkles, peeling, and make room for dust and dirt collection.
- Before applying the finishing coat of paint, especially over large open areas, pour that entire colour into one container and mix thoroughly. This will offset any possible minor color variations from batch to batch.
- While painting metals, always make sure the surface is profiled to give the desired roughness for the paint to hold on to it better.
- Remove all existing rust on the metal by sand blasting, power tool cleaning or by wire brushing followed by treating with Arbo Rust-Out rust dissolving solution.
- When in doubt, call Torginol! We are always at your disposal.



A member of Continental Group of Companies



Torginol Paints Inc
9-12 Industrial Estate, Ruimveldt
Georgetown, Guyana
Tel # (592) 226-4041-3
Fax # (592) 225-3568

Outlets:
Regent and Hinck Sts.
Tel # (592) 226-1950
(592) 227-1165

Regent and Alexander Sts.
Tel # (592) 225-7430
(592) 227-1172



Torginolpaints



www.torginolpaints.com